

## Atlas Conversion Chart

One of the most frequently asked questions is whether we could provide a chart that shows images from our Atlas of Anatomy (Gilroy, MacPherson, Ross) that correspond to those from Atlas of Human Anatomy (Netter). Our authors have now provided such a chart and we hope it will serve you well.

A few comments:

- This chart correlates images in the Gilroy to the plate number and the number of images on that plate in Netter. The Netter plates are listed followed by the figure numbers of the corresponding images (separated by semicolons) in Gilroy et al.
  - If the images in the Netter are stacked one above the other, then the corresponding images in Gilroy are listed going from the top to the bottom of the plate.
  - If the images are arranged in rows in the Netter, then the corresponding Gilroy images are noted row for row, left to right, from the top to the bottom of the plate.
  - If the images are in a circular arrangement in Netter, then the corresponding Gilroy images are listed from the top going *counterclockwise* around the plate.
  - If more than one Gilroy image might match a Netter image, then the word “or” is shown between possible corresponding images from Gilroy et al.
  - If more than one image is needed to match all the information in a single Netter image, then the word “and” is shown between possible corresponding images from Gilroy et al.
- The two products have different pedagogical approaches and therefore some of the Netter material is not shown in Gilroy. We have indicated such instances by “no exact match”. By the same token, you may find that our suggestions for images do not necessarily match what you would choose. In such cases, we would love to hear from you so that we can continue updating and improving the chart.
- Radiological material is used in different places in the two products and we have an additional resource, [www.WinkingSkull.com](http://www.WinkingSkull.com) that offers more than 100 radiological images for self-study and testing on its PLUS and PRO levels. In your course materials, it may be worthwhile including references to the site. The site is free on its base level and PLUS requires an access code that comes with the Gilroy et al., Atlas of Anatomy or the Gilroy, Anatomy Flash Cards—Anatomy on the Go. In the chart’s comments column, we have noted with “WS”, all corresponding images available on this site.
- All of the anatomical images in Gilroy are available for quick download and easy import into your presentations on [www.ThiemeTeachingAssistant.com](http://www.ThiemeTeachingAssistant.com).

Thank you for your interest in Atlas of Anatomy. We hope the following chart will help you in preparing for your course. Please send any feedback or improvements to [Jaimie.Lazare@thieme.com](mailto:Jaimie.Lazare@thieme.com).

Region	Netter, 4th edition plate No.	No. of images on Netter plate	Suggested images from Atlas of Anatomy	page No. in Atlas of Anatomy	Comment and Images from Winking Skull (WS)
Head and Neck	1	1	38.2 A	589	
	2	2	29.2; 33.1 A	455; 506	
	3	1	no exact match	—	WS: Head and Neck, Radiograph of the Skull Posterior-Anterior View
	4	2	29.1; 32.19	454; 504	
	5	1	no exact match	—	WS: Head and Neck, Radiograph of the Skull Lateral View
	6	2	29.7 A; 34.2 B	459; 521	
	7	2	29.4 A; 29.4 B	457; 457	
	8	1	29.6	458	
	9	1	29.8	459	
	10	1	29.6	458	
	11	1	29.8	459	
	12	2	no exact match; no exact match	—; —	
	13	3	32.3 C or 32.4 B; 1.7 A; 1.7 B (radiograph)	490 or 491; 6; 6	33.2 C or 32.4 B show bones with arteries
	14	2	29.6 (top 1/2) or 36.6 D; no exact match	458 or 540; —	
	15	3	36.4 C; 36.4 B or 30.3 or 30.4; no exact match (radiograph)	539; 539 or 464 or 464; —	no match for edentulous mandible; muscle attachments shown in figures 30.3 and 30.4
	16	5	36.7 A; 36.7 B; 36.8 B; 36.8 C; 36.6 A	540; 540; 541; 541; 540	
	17	6	1.8 C; no exact match; 1.9 B; no exact match; 1.24 B; no exact match (radiograph)	7; —; 7; —; 16; —	
	18	5	no exact match; 1.10 C; 1.10 B; no exact match; no exact match	—; 7; 7; —; —	
	19	2	1.23 A; 1.23 B	15; 15	
	20	2	1.23 C; no exact match	15; —	
	21	3	1.28; 1.25 B; 1.30 or clinical box, p. 15, or 37.11	18; 16; 19 or 15 or 566	
	22	4	1.29; 1.25 C; 1.25 D; 1.26 A	18; 17; 17; 17	
	23	2	32.12 or 32.13; 32.4 A	498 or 499; 491	
	24	2	32.13; 32.2 B	489; 499	
	25	2	31.11 C (enlarge) or 32.13; 36.26 B	478; 499 551;	
	26	1	30.1 B	463	
	27	1	37.29 B	576	not an exact match, muscles only
	28	1	37.31 B	578	not an exact match
	29	2	37.31 B; 37.7	578; 562	figures 37.7 A and 37.7 B show what is in a single Netter image
	30	1	37.10 B	565	
	31	1	37.31 B	578	
	32	2	37.15; Table 37.8	569; 568	
	33	3	37.26; 37.31 C or 37.31 D; 37.11	575; 579; 566	
	34	2	37.32; 32.4 B	580; 491	
	35	2	Table 37.12	577	
	36	3	34.1 A; 34.1 B; 32.12	520; 498	

37	3	34.8 A; no exact match; no exact match	525; —; —	
38	2	34.2 B (small color pic); 34.2 C (small color pic)	521; 521	
39	2	34.6 A; 34.2 A (small color pic)	524; 520	
40	2	32.8 B; 32.17	495; 503	
41	1	34.6 B or 34.7 B	524 or 525	
42	1	34.8 B or 34.9 A or 34.9 B	525 or 525 or 525	
43	4	no exact match; no exact match; 34.8 B; 34.9 A	—; —; 525; 525	
44	1	31.12 (including Table 31.5) and 32.20	479; 505	no all-in-one figure as in Netter, but the components are available in figures/tables noted
45	1	31.9 A and 31.9 B	477; 477	figures 31.9 A and 31.9 B show what is in a single Netter image
46	2	31.9 C; 32.18 A or 32.18 B	477; 503; 503	
47	1	no exact match	—	
48	2	34.5 A; no exact match	523; —	figure 34.5 A matches central portion of Netter image
49	2	no exact match; 34.4 A	—; 522	
50	2	—; 34.3 C	—; 522	
51	3	36.27 A; no exact match; 36.23 A	552; —; 549	
52	2	36.18 A and 36.18 B; 36.16 and 36.33;	546 and 546; 545 and 557	
53	3	36.15 B; 37.8 C; 36.15 D or 36.26 C	544; 563; 468 or 551	
54	2	30.2; 30.11 B or 30.12 B	463; 468 or 468	
55	2	30.2 B or 30.13 B or 30.14 B; 30.15 B	463 or 469 or 469; 469	
56	3	no exact match; 36.11 A; 36.11 B	542	
57	(1 + 16 small)	36.10 A and 36.10 B; 36.13	542; 542; 543	
58	3	36.20 A; 36.20 B; no exact match	548; 548; —	
59	2	36.21 A; 36.23 B	548, 549	
60	2	no exact match; 36.21 B	—; 548	
61	(1 + 3 histo)	36.26 A (no sublingual); no exact match	551; —	figure 36.26 is not an exact match, no sublingual
62	3	36.18; 36.22; no exact match	546; 549; —	
63	1	36.24	550	
64	2	no exact match; no exact match	559; —	
65	1	no exact match	—	
66	1	36.28	553	
67	1	36.30 A and 36.30 C	555 and 555	
68	1	36.29 A	554	
69	1	32.4 B and 32.17	491 and 503	
70	1	32.9 B and 32.10	496 and 497	
71	1	32.2 C and 32.12 and; 37.33	489 and 498 and 581	no all-in-one figure; done regionally
72	1	37.37 and 37.38 and 37.39	586 and 587 and 588	
73	2	no exact match; Table 37.14	—; 587	
74	2	37.31 C; 37.25 A	574; 579	
75	1	36.31	556	

76	2	37.25 B and 37.26; 37.28	574 and 575; 575	
77	5	no exact match; 37.21C; no exact match; 37.16; 37.21 B	—; 571; —; 570; 571	
78	4	37.22 D; 37.22 A; 37.22 B; no exact match	572; 572; 572; —	
79	5	Table 37.9	572	
80	3	37.28 A; 37.28 B; 37.26	575; 575; 575	
81	3	33.14; 33.13; 33.9 (right side)	515; 514; 512	
82	2	no exact match; 33.14	—; 515	
83	3	no exact match; no exact match; 33.10	—; —; 512	
84	3	33.4; 33.2 B; 33.2 A	509; 508; 508	
85	3	33.6; no exact match; 33.5	510; 510; 510	
86	2	33.11 A; 33.11 B	513; 513	
87	1	33.15	516	
88	1	33.18	518	
89	3	33.20; 33.17; no exact match	519; 518; —	
90	2	33.16; clinical box p. 517	517; 517	
91	1	no exact match		
92	1	35.3	528	
93	5	35.5; 35.15; 35.3 (left side); 35.16; 35.11 B	529; 532; 528; 533; 532	
94	2	35.17; 35.18	534; 535	
95	3	35.19 B; 35.21; 35.22	536; 537; 537	
96	2	35.19 A; 35.20 B	536; 536	
97	2	35.8 or 35.20 C; no exact match	530 or 536; —	lower image can be extrapolated from figure 35.8
98	3	35.9; no exact match; no exact match	530; —; —	could use figure 36.16, p. 545, to show relationship of muscles to where tube would be
99	2	39.25 A and 39.25 D; no exact match	602 and 602; —	
100	2	39.25 B; 39.28 or clinical box p. 495	602; 603 or 495	
101	4	clinical box p. 495 (part B) or clinical box p. 603; no exact match; no exact match; no exact match	495 or 603; —; —; —	
102	2	39.25 D; 39.25 B; 40.2 A	602; 602; 606	
103	1	Table 40.1 (enlarge)	606	
104	2	40.5; no exact match	607; —	
105	3	39.6 A; 39.12 A; 39.12 B	593; 595; 595	
106	2	40.2 B; 39.13 A	606; 596	
107	1	39.12 D	595	
108	2	39.31 B; 39.15 B	605; 597	
109	1	39.29	604	
110	2	39.9; no exact match	594; —	
111	3	no exact match; no exact match; no exact match	—; —; —	
112	3	39.13 A; 39.13 B; no exact match	596; 596; —	
113	3	39.17 A; 39.17 B; 39.18	598; 598; 598	figure 39.18 is a 3D visualization of Netter's lower image
114	2	39.19 D; 39.19 B	599; 599	
115	2	39.19 D; 39.14	599; 596	
116	1	31.2 A	471	
117	1	31.2 B	471	
118	1	31.1	470	

119	1	31.3 B	472	
120	2	no exact match; 41.9 A and 41.9 B or clinical box p. 617	—; 616 and 617 or 617	
121	1	31.6 A	475	
122	1	31.9 A and 31.9 B and 31.9 C	477	
123	1	31.12	479	
124	1	31.13 A and 31.14 A and 31.15	480 and 480 and 481	
125	1	31.17 A or 31.18 or 31.19	482 or 482 or 483	
126	1	Table 31.9 and 31.22	484 or 485	
127	1	31.23	486	
128	1	31.25	487	
129	1	Table 37.8 and 37.15	568 and 569	
130	1	36.33 (partial)	557	not an exact match
131	1	no exact match	—	no all-in-one figure; done regionally
132	1	31.6 and table 31.3	474 and 475	
133	1	31.12 and table 31.5	479 and 479	
134	1	31.20 and Table 31.8	483 and 483	
135	1	41.15	619	
136	1	40.6	608	
137	3	5.19 A; 40.12 A; 40.12 D	57; 611; 611	
138	1	40.6 and 40.11 C	608 and 610	
139	2	40.8; 40.9 B	608; 609	
140	2	40.8; no exact match	608; —	
141	2	40.8 and 40.9 C	608 and 609	not an exact match
142	2	40.9 B; 40.9 C	609; 609	
143	1	40.7	608	figure shows part of what is in Netter image
144	1	40.2 A or 40.2 B	606 or 606	
145	2	40.3; 40.5 (partial)	607; 607	
146	1	no exact match	—	
147	2	no exact match	—	
148	1	no exact match	—	
149	3	no exact match	—	WS: Neuroanatomy, Cranial MRI Sagittal Section
150	3	no exact match	—	WS: Neuroanatomy, Cranial MRI Axial (Horizontal Plane) 1; Cranial MRI Axial (Horizontal Plane) 3; Cranial MRI Axial (Horizontal Plane) 4; Cranial MRI Axial (Horizontal Plane) 5
151	3	no exact match	—	WS: Neuroanatomy, Cranial MRI Coronal Section 1; Cranial MRI Coronal Section 2
152	1	4.2 B	41	no labels
153	3	1.3 A; 1.1 B; 1.3 B	4; 2; 4	
154	4	1.12 C; 1.12 A; 1.11; 1.12 B	8; 8; 8; 8	
155	4	1.14 C; 1.19; no exact match; 1.13	9; 12; —; 9	
156	2	no exact match; no exact match	—; —	
157	4	1.15 A; 1.15 C; 1.16 B; 1.15 B	10; 11; 11; 10	
158	3	1.31; 1.34; 1.33	20; 21; 21	
159	2	10.9 A; 10.9 B	128; 128	

Back and Spinal Cord

Thorax

160	1	39.21 and 39.24	600 and 601	
161	3	39.22 A; 39.23 A; 39.23 B	600; 601; 601	
162	3 (plus a table)	clinical box p. 13	13	not an exact match
163	1	clinical box p. 601	601	
164	2	5.25 A and 22.26 B and 27.26 B; 5.25 B and 3.5 B and 22.28 B and 27.28 B	59 and 330 and 434; 59 and 37 and 331 and 435	no all-in-one figure; done regionally
165	3	7.19 A; 7.19 B; 7.28	91; 91; 98	
166	2	17.8; 17.10	244; 246	
167	1	17.11	247	
168	1	42.5	623	
169	2	39.21; 39.20 B	600; 600	
170	2	3.3 B; 3.3 C	36; 36	
171	3	3.1 B; 3.1 D; 40.11 C	34; 34; 610	
172	2	40.11 B; 40.11 A	610; 610	
173	3	40.12 D; 40.12 C; 40.12 B	611; 611; 611	
174	2	19.21 A; 19.21 B	268; 269	
175	2	2.5 A; 2.5 B	26; 26	
176	2	2.5 C; 2.5 D	27; 27	
177	1	3.7	39	
178	1	3.6	38	
179	1	13.37	175	
180	2	3.3 A; 3.3 B	36; 36	
181	1	9.2 B	121	
182	2	5.28; 5.32 A or 5.32 B	62; 63 or 63	
183	1	5.30	62	
184	1	5.33 A or 5.33 B	64 or 64	
185	2	5.1 A; 5.1 C	44; 44	
186	3	5.5 B; 5.5 C; 5.7	47; 47; 49	
187	3	5.8 B; no exact match; 5.8 A	49; —; 49	
188	2	19.19 A; 5.10	264; 51	
189	2	19.19 B; 5.10	265; 51	
190	3	5.21 (shows intercostal spaces for tube insertion); clinical box p. 60; 5.24	58; 60; 59	not an exact match
191	1	5.11	51	
192	1	3.3 B or 5.27	36 or 61	
193	2	6.1 B; 7.2 A	66; 77	
194	1	5.16 A	55	
195	1	5.16 B	55	
196	1	8.1 A	102	
197	1	8.1 B	102	
198	1	8.4 B	104	
199	2	8.5 C; 8.5 D	105; 105	
200	2	Table 8.2 (key for the roman numerals used in figures); and 8.8 (anterior views); 8.10 B and 8.11 B (posterior views)	108 and 108; 109 and 109	figures listed make up Netter plate anterior and posterior view of the lung
201	4	Table 8.2 (key for roman numerals use in figures) 8.10 C and 8.11 C (lateral view); 8.10 A and 8.11 A (medial views)	109	figures listed make up Netter plate lateral and medial view of the lung
202	2	8.12 B; no exact match	110; —	
203	1	Table 8.2 (key for roman numeral used in figures and 8.8 (center)	108 and 108	trachea and bronchial tree only
204	2	8.13 A; 8.13 B	111; 111	

205	1	8.24	116	
206	1	7.26 or 8.4 B	96 or 104	
207	4	8.25; no exact match; no exact match; 8.26	116; —; —; 117	
208	1	8.29	119	
209	1	7.29 A or 7.29 B	98 or 98	
210	1	8.27	117	
211	1	6.1 B or 7.2 A	66 or 77	
212	1	7.10	83	
213	2	7.21 B; Table 7.2	92; 87	
214	2	no exact match; 7.11 C	—; 84	
215	2	7.7 B; 7.7 A	81; 81	not an exact match
216	2	7.16 A; 7.16 B	88; 88	
217	4	no exact match; 7.17 A; no exact match; no exact match	—; 89; —; —	figures 7.17 A, 7.17 B, and 7.17 C, p. 89, all depict variations in coronary artery distribution
218	2 + 2 radiologic images	no exact match	—; —; —; —	
219	2 + 2 radiologic images	no exact match	—; —; —; —	
220	2	7.12 B; 7.12 A	85; 85	
221	2	7.12 C; no exact match	85; —	
222	2	7.13 A; 7.13 B	86; 86	
223	3	7.14 A; 7.15 B; 7.15 A	87; 87; 87	
224	1	no exact match	—	
225	2	7.18 B; 7.18 C	90; 90	
226	1	7.19 C	91	
227	1	7.19 A	91	
228	1	no exact match	—	
229	2	7.23; 7.24	94; 95	
230	1	7.3 A	78	
231	1	7.3 B	79	
232	1	7.26	96	
233	2	7.25 A or 7.25 B; no exact match	96 or 96; —	
234	2	7.27 A; no exact match	97; —	
235	1	no exact match	—	
236	3	no exact match; 7.27 B; 13.3 B	—; 97; 158	
237	2	7.30; no exact match	99; —	
238	2	7.31; no exact match	99; —	
239	1	7.32 or 7.34 A or 7.34 B	100 or 101 or 101	
240	2	7.29 A; 7.29 B or 7.29 C	98; 98 or 98	
241	1	7.22 B	93	
242	1 + 4 radiologic images	no exact match x 5	—	WS: Thorax, Thoracic Cavity, Transverse sections of the thorax. Superior mediastinum. Computed tomography (CT) scan of thorax, inferior view.
243	1	no exact match	—	
244	1	no exact match	—	
245	1	no exact match	—	

## Abdomen

246	1	no exact match	—	
247	1	18.2 B	249	no labels
248	1	5.1 A and 10.1	44 and 124	
249	1	11.1 A	130	
250	1	11.1 B	130	
251	1	11.1 D	131	
252	2	11.5 B;11.5 C	134; 134	
253	1	11.6	135	
254	2	19.21 A; 19.21 B	268; 269	
255	1	no exact match	—	
256	1	no exact match	—	
257	1	no exact match	—	
258	1	5.27	61	
259	2	11.2; 11.6	132; 135	
260	1	11.4 A or 11.4 B	133 or 133	not exact match
261	1	clinical box p 135	135	
262	2	11.6; 27.30	135; 436	not exact match
263	1	11.12 A	139	not exact match
264	1	15.6	208	
265	1	15.15	216	
266	1	16.6	228	
267	1	17.1	237	
268	2	no exact match	—	
269	2	12.4 A; 12.4 B	144; 144	
270	2	13.8; 13.6	161; 160	
271	2	12.4 C; no exact match	145; —	
272	1	12.7	147	
273	1	13.37	175	
274	1	12.9	149	
275	1 + 4 small	13.4; no exact match	159; —	
276	1 + 2 histo	13.3 C; no exact match; no exact match	158; —; —	
277	2 + 1 small	no exact match; no exact match (small); 13.3 B	—; —; 158	
278	1	13.8	161	
279	3	13.7; no exact match; no exact match (radiograph)	160; —; —	
280	4	13.10 A; no exact match (radiograph jejunum); 13.10 B; no exact match (radiograph ileum)	280; —; 280; —	
281	2 + 4 small	no exact match	—	
282	3	13.15 (ileocecal portion); 13.14; 13.15 (ileal papilla - enlarge)	164; 164; 164	
283	4	no exact match	—	
284	1	13.15	164	
285	4	no exact match	—	
286	3	13.21 A (anterior); 13.21 B (posterior); no exact match	168; 168; —	
287	4	13.27 A; 13.27 B; 13.27 C; 13.26 B	171; 171; 171; 170	
288	1 + 6 small	15.8; no exact match (smaller images)	210; —	
289	3	Table 13.2; 13.29 (for distribution of vessels)	170; 172	
290	2	13.24; no exact match	170; —	
291	1	no exact match	—	
292	2	no exact match	—	
293	1	13.37 (could be used)	175	
294	2	13.32; 13.31	173; 172	
295	9 small	13.30 B; 13.30 A; no exact match x 7	172; 172; —	
296	11 small	no exact match	—	

297	1	no exact match	—	
298	3	13.36; 13.34; no exact match (histo)	175; 174; —	
299	4	13.35 B; 13.35 A; no exact match; 13.22	174; 174; —; 168	
300	1	15.8	210	
301	1	15.9	211	
302	10	no exact match	—	
303	1	no exact match	—	
304	2	no exact match	—	
305	2	no exact match	—	
306	1	15.10	212	
307	1	15.11	213	
308	5	no exact match	—	
309	2	15.17; 15.18	218; 219	
310	2	15.19; no exact match	220; —	
311	1	15.20	221	
312	1	15.14 C	215	
313	5	15.14 B; no exact match	215; —	
314	3	16.9; no exact match; no exact match	230; —; —	
315	2	16.1; no exact match	231; —	
316	1	16.12	232	
317	2	16.14; 16.6	233; 228	
318	1	17.1	237	
319	1	17.2	238	
320	2	17.2; no exact match	238; —	
321	1	17.9 A	245	
322	1	17.4	240	
323	1	17.5	241	
324	1	17.9 B	245	
325	1	no exact match	—	
326	1	no exact match	—	
327	3	clinical box p. 246 (referred pain); 17.9 A; no exact match	246; 245; —	
328	3	clinical box p. 246 (referred pain); 17.9 A; no exact match	246; 245; —	
329	2	13.47; 13.42	180; 177	
330	2	13.38 B; no exact match (posterior view)	176; —	
331	1	13.37	175	
332	1	13.42 B	177	
333	5	no exact match	—	
334	3	13.45 B; 13.45 D; no exact match (small)	178; 179; —	
335	1.11111E+12	15.7; no exact match	209; —	
336	1	no exact match	—	
337	1	no exact match	—	
338	1	no exact match	—	
339	1	no exact match	—	
340	2	13.47; 13.49	180; 181	
341	1	13.47	180	
342	2	no exact match; 13.40	—; 176	
343	2	16.7; no exact match (inset)	229; —	
344	1	17.3	239	
345	1	17.10	246	
346	2	17.3 (upper 1/2); no exact match	239; —	
347	3	13.43; 13.44; no exact match	178; 179; —	

Pelvis  
and  
Perineu  
m

348	1	12.3	143	
349	1	no exact match	—	
350	4	13.23 A; no exact match; 13.23 B; no exact match	169; —; 169; —	
351	1	18.2 B	249	no labels
352	2	10.10; no exact match	129; —	
353	2	10.9 B; 10.9 A	128; 128	
354	4	10.7 A; 10.8 A; no exact match; no exact match	127; 127; —; —	
355	2	no exact match	—	
356	2	11.15 A; 11.15 C	134; 134	
357	2	11.15 B; 11.15 D	141; 141	
358	1	no exact match	—	
359	1	no exact match	—	
360	2	12.11 A; 12.11 B	151; 151	
361	2	12.10 A; 12.10 B	150; 150	
362	1	12.12 A	152	
363	1	12.13A	153	
364	1	no exact match	—	
365	2	13.52; 13.48	184; 181	
366	2	13.55 A; 13.55 B	185; 185	
367	1	no exact match	—	
368	2	no exact match	—	
369	2	13.49; no exact match	181; —	
370	1	14.1	186	
371	2	14.6 A; 14.6 B	189; 189	
372	2	14.3 B; no exact match	188; —	
373	6	no exact match	—	WS: Female Pelvis: Hysterosalpigogram
374	7	no exact match	—	
375	3	no exact match	—	
376	1	no exact match	—	
377	5	14.12; no exact match (4 small)	192; —	
378	2	14.13; no exact match	192; —	
379	2	14.14; 14.11	193; 191	
380	2	no exact match; no exact match	—; —	
381	2	11.8 B; 14.20 B	137; 197	
382	2	no exact match; 14.20 D	—; 197	
383	3	no exact match	—	
384	4	14.24 A; 14.24 B; 14.23; 14.24 C (top)	200; 200; 200; 200	
385	2	no exact match; 14.20 A	—; 197	
386	4	no exact match	—	
387	2	14.18; 14.21 A	196; 198	
388	5	14.30 (includes 5 images)	204	
389	3	14.32 (includes 3 images)	205	
390	3	14.21 C; 14.22 D; Table 14.3 (includes cross-section image of testis)	198; 198; 199	
391	2	13.50 B; 13.51 B	182; 183	
392	1	13.19	166	
393	1	13.20	167	
394	2	no exact match; 13.20 (bottom)	—; 167	
395	2	11.8B; 11.7B	137; 136	

396	2	no exact match; no exact match	—; —	
397	4	no exact match	—	WS: Abodomen and Pelvis, MRI of the Female Pelvis Sagittal Section, MRI of the Male Pelvis Sagittal Section MRI of the Testes Sagittal Section
398	1	15.22	224	
399	1	15.22	224	
400	1	15.23 A	225	
401	1	15.23 B	225	
402	2	no exact match; 15.21 B	—; 223	
403	2	15.21A; no exact match	223; —	
404	2	14.17; no exact match	195; —	
405	2	14.29; 14.29	203; 203	
406	1	16.16	235	
407	1	16.16	235	
408	2	16.15; 16.4	234; 227	
409	1	no exact match	—	
410	1	17.7	243	
411	2	14.29; 14.26 A	203; 202	
412	2	17.6; 17.3 (bottom 1/2)	242; 239	
413	2	14.15 B; 14.15 A	194; 194	
414	1	no exact match	—	
415	1	17.11	247	
416	1	17.11	247	
417	1	17.10	246	
418	2	23.1 A; 23.3 A	350; 351	no labels
419	5	19.3 A; 19.3 B; no exact match; no exact match; 19.19	254; 254; —; —; 264	
420	2	19.1 A (top); 19.20 D	252; 267	
421	2	19.1 B (top); 19.22 D	252; 271	
422	1	19.12 (radiograph) or 19.15 (MRI)	260 or 261	
423	4	19.13 A or 19.14; 19.18 A; 19.17; 19.18 B	261 or 261; 263; 262; 263	
424	2	19.21 B; 19.19 A	269; 264	
425	3	19.16 B; 19.24 C; 19.24 E	262; 273; 273	
426	3	22.1 B; no exact match; 22.30 (posterior)	316; —; 333	
427	2	22.2; 22.3	317; 317	
428	2	22.34 A; Table 22.11	336; 336	
429	1	22.34 B	337	
430	1	22.11 A or 22.11 C	321; 321	
431	2	19.20 B; 22.20	266; 327	
432	2	19.22 B; 22.30	270; 333	
433	1	22.35	338	
434	1	22.1 B	316	
435	1	22.49 A or 22.50 A	348 or 349	
436	6	20.2 A; 20.2 B; no exact match; no exact match; 20.2 D; 20.2 C	282; 282; —; —; 282; 282	
437	2	no exact match	—	WS: Radiograph of the Elbow Lateral View
438	5	20.6A; 20.5 C; 20.5 B; 20.6 B; no exact match	285; 284; 284; 285; —	
439	4	20.7; 20.8; 20.10 A; no exact match	286; 286; 287; —	

Upper Limb

440	2	20.14 or 20.15 or 20.20B; no exact match (pronated position)	293 or 293 or 297; —;
441	2	20.20 A; 20.20 B	297; 297
442	1	20.14	293
443	2	20.11 B; 20.11C	288; 289
444	1	20.12 A	290
445	1	20.12 B	290
446	1	22.37 A	340
447	1	22.37 B	340
448	1	22.37 C	341
449	1	22.49 B; 22.50 B	348; 349
450	1	20.11 D	289
451	1	20.12 D	291
452	2	21.2; 21.1	299; 298
453	5	21.4 A; 21.4 B; no exact match; no exact match; no exact match	300; 301; —; —; —
454	2	21.7 A; 21.6 B	303; 302
455	2	21.6 A; 21.5 A	302; 301
456	2	21.2 (palmar view); 21.1 (dorsal view)	299; 298
457	1	21.3 (radiograph of the wrist) or 21.5 B	299 or 301
458	3	21.6 B; 21.9 E; 21.9 B	302; 304; 304
459	2	no exact match; 24.42 B	—; 344
460	2	no exact match; 24.44 A	—; 345
461	3	22.44 A or 22.44 B; B; 22.41 A or 22.41 B or 21.8 A; no exact match (small)	345 or 345; 343 or 343 or 303; —
462	2	no exact match	—
463	4	clinical box p 307 (use for top two images); 21.24 A; 21.9 A	307; 315; 304
464	3	21.18 A; 21.18 C; 21.18 D	311; 311; 311
465	3	22.44 B; 21.24 B; 21.24 C	345; 315; 315
466	2	22.39 B; 22.44 B	342; 345
467	2	22.47; 22.6	346; 318
468	1	22.27 B (enlarge)	331
469	1	22.48 B	347
470	2	22.48 A; 21.17 B	347; 310
471	3	21.12; 21.11; 22.43 A or 22.43 B	305; 305; 344 or 344
472	2	22.42 A; 22.46 B	344; 346
473	1	22.35 and 22.37 B and 22.44 A	338 and 340 and 345
474	3	22.20; 22.21 A; 22.21 B	327; 327; 327
475	3	22.22; 22.23A; 22.23 B	328; 328; 328
476	3	22.25; 22.24 A; 22.24 B	329; 329; 329
477	1	22.17	325
478	2	22.17; 22.16 A or 22.16 B	325; 325 or 325
479	2	22.5 A or 22.27 A; 22.27 B	318 or 330; 331
480	2	22.7 A; 22.7 B	318; 318
481	2	22.26 A; 22.28 A	330; 331
482	2	22.26 B; 22.28 B	330; 331
483	2	22.8; 22.9	319; 319
484	3	no exact match	—

## Lower Limb

485	2	28.1 A; 28.3 A	450; 451	
486	2	24.6 A; 24.5 B	359; 358	
487	3	24.12 B; 24.13 B; 24.11 C	365; 365; 364	
488	1	no exact match	—	WS: Radiograph of the Hip Anterior-Posterior View
489	2	24.7 A; 24.7 B	360; 360	
490	1	24.15 B	368	
491	1	24.18 B	372	
492	2	24.14 A; 24.14 B	366; 366	
493	1	24.14 C	367	
494	1	24.19	373	
495	2	24.17 A; 24.17 B	370; 370	
496	1	no exact match	—	
497	1	27.11	364	
498	2	no exact match	—	
499	2	no exact match	—	27.1, p. 425, shows some of information in Netter images
500	2	27.34 A; 27.34 B	440; 440	
501	1	27.34 B	440	
502	1	27.35 B	441	
503	5	27.32 C	438	
504	5	27.3 A; no exact match (posterior view); 27.3 B (coronal); no exact match; 27.1 C (upper 1/3)	421; —; 421; —; 420	
505	1	27.43 or 27.44 A	448 or 449	
506	2	25.7 B or 25.13; 25.7 A	386 or 390; 386	not an exact match, ligaments only
507	3	25.5; 25.14	384; 390	
508	2	no exact match; 25.8 A; 25.8 B	—; 387; 387	
509	1	25.11; 25.10B	389; 388	
510	1	25.3	383	
511	1	25.6; 25.17	385; 391	
512	1	27.1C	420	
513	4	25.1 A; 25.1 B	380; 380	
514	2	no exact match; 25.1 C; 25.1D; 25.1E	—; 381; 381; 381	
515	2	25.19C; 25.21D	393; 395	
516	1	27.36A	442	
517	1	27.36B	442	
518	1	27.37A	443	
519	1	25.19A	392	
520	1	27.40B	445	
521	1	27.39	444	
522	2	table 27.10; 27.44B	444; 449	
523	2	26.2A; 26.2C	400; 401	
524	2	26.2B; 26.2D	400; 401	
525	6	26.10 B (lateral); 26.10A (superior -- use image on the right); 26.10 D (medial -- use image on bottom); 26.10 C (posterior -- use image on bottom); 26.11C; no exact match	407; 407; 407; 407 ; 409; —	
526	2	no exact match; no exact match	—; —	WS: Radiograph of the Ankle Anterior-Posterior View; Radiograph of the Ankle Lateral View

527	2	26.11 D; 26.11 B	409; 408	
528	2	26.18 A; no exact match	415; —	
529	2	no exact match; 26.18 B; 26.18 C	—; 415; 415	
530	1	27.40 B (lower 1/2)	445	
531	1	27.40 A	445	
532	1	26.15 and 27.41 A	412 and 446	
533	1	26.16 A and 27.41 A	412 and 446	
534	1	26.16 B and 27.41 B	413 and 446	
535	1	26.16 C and 27.41 C	413 and 447	
536	2	27.40 A; 27.41 or 27.2	445; 446 or 420	
537	2	26.21 A; 26.21 C	418; 418	
538	2	27.16 (femoral nerve) and 27.13 D (lateral femoral cutaneous nerve); 27.17	429 and 427; 429	
539	2	27.15; 27.14	428; 428	
540	2	27.23; 27.19	432; 430	
541	3	27.24 A; 27.24 B; 27.25	433; 433; 433	
542	2	27.23 (lower 2/3); 27.22 A	432; 432	
543	2 + 5	27.26 B; 27.28 B; no exact match (limb movements)	434; 435; —	
544	1	27.27 A	434	
545	1	27.27 B	435	
546	3	27.9 A; 27.9 B; 27.10	423; 423; 423	
547	2	no exact match	—	